

950 SPKL/9 SM N Multicolour L-key set, metric **1 SET** 967 SL/9 TORX® HF Multicolour L-key set with holding function **1 set**

950 SPKL/9 SM N Multicolour L-key set, metric, BlackLaser



9-piece set in a two-component clip

Application: Hexagon socket screws

Design: BlackLaser surface, durable plastic sleeve. The contrasting inscriptions on the colour-coded sleeves mean that it is easy to recognise the correct sizes and this makes it simpler to find the right tool.

Tip: Hex-Plus, ball-end hexagon on long arm

05022089001	
○	950 SPKL Multicolour 1 x 1,5x90; 1 x 2,0x101; 1 x 2,5x112; 1 x 3,0x123; 1 x 4,0x137; 1 x 5,0x154; 1 x 6,0x172; 1 x 8,0x195; 1 x 10,0x224

back previous item | next item

HOLDING FUNCTION

TAKE IT EASY TOOL FINISH

967 SL/9 TORX® HF Multicolour L-key set with holding function

Application: 9-piece set in a two-component clip
TORX® socket screws

Blade: Round

Design: Holding function for TORX® screws made according to Acument Intellectual Properties specifications, BlackLaser surface, durable plastic sleeve. The contrasting inscriptions on the colour-coded sleeves mean that it is easy to recognise the correct sizes and this makes it simpler to find the right tool.

See more product details

- > about TORX® with holding function
- > about L-keys

More items to consider

- > 8767 C TORX® HF 1 Zyklus bit socket set with 1/2" drive, with holding function
- > 8767 C TORX® HF 2 Zyklus bit socket set with 1/2" drive, with holding function
- > 8767 C HF TORX® Zyklus bit socket with 1/2" drive with holding function
- > 8767 C TORX® HF 3 Zyklus bit socket set with 1/2" drive, with holding function
- > Bit-Check 6 TX HF 1
- > 367/7 TORX® HF Kraftform Plus screwdriver set with holding function and rack

Code

05024179001	967 SL TORX® HF	1 x TX 8x76 1 x TX 9x79 1 x TX 10x85 1 x TX 15x90 1 x TX 20x96 1 x TX 25x104 1 x TX 27x112 1 x TX 30x122 1 x TX 40x132
-------------	-----------------	--

Kraftform Micro-Set/12 SB 1 **1 SET**

Screwdriver set for electronic applications

Kraftform Micro-Set/12 SB 1 Screwdriver set for electronic applications



Application: Slotted and Phillips screws, TORX® socket screws, and Hexagon socket screws

Content: 12-piece set, in a belt pouch

05073675001	
+	2050 PH Micro 1 x PH 00x60; 1 x PH 0x60
⊕	2067 TORX® HF Micro 1 x TX 5x40; 1 x TX 6x40
●	2035 Micro 1 x 0,23x1,5x40; 1 x 0,30x1,8x60; 1 x 0,40x2,0x60; 1 x 0,40x2,5x80; 1 x 0,50x3,0x80
○	2054 Micro 1 x 0,9x40; 1 x 1,5x60; 1 x 2x60

160 iSS/7 screwdriver set Kraftform Plus Series 100. **1 SET**

With reduced blade diameter and smaller handle diameters

160 iSS/7 screwdriver set Kraftform Plus Series 100. With reduced blade diameter and smaller handle diameters



Kraftform: The safety screwdriver. With reduced blade diameter and partially smaller handle diameters

Application: Slotted, Phillips, PlusMinus screws (Pozi driv/slotted)

Content: 7-piece set

05135961001	
●	160 iSS 1 x 0,8x4,0x100
⊖	160 iS 1 x 0,6x3,5x100; 1 x 1,0x5,5x125
+	162 iSS 1 x PH 1x80; 1 x PH 2x100
⊕	165 iSS PZ/S 1 x # 1x80; 1 x # 2x100

Zyklop Mini For confined spaces Tool-Check PLUS- 2 SET

Kraftform Kompakt Zyklop Mini 2 - 1 SET

Tool-Check PLUS



Kraftform Kompakt Zyklop Mini 2



28 bits, 1 hand holder 813 suitable for the attachment of bits with 1/4" hexagon drive as per DIN ISO 1173-C 6,3 and Wera connection series 1, 1 Rapidaptor bit holder, 1 adaptor 870/1 (1/4" hexagon to 1/4" square), 7 sockets (1/4"); 1 Wera Bit Ratchet, drop-forged full steel design suitable for the attachment of bits with 1/4" hexagon drive as per DIN ISO 1173-C 6,3 and E 6,3 and Wera connection series 1 and 4; the use of 1/4" sockets is also possible with the application of the Wera adaptor 870/1

1 Wera Bit Ratchet Zyklop Mini 1, drop-forged full steel design, suitable for 1/4" hex bits as per DIN ISO 1173-C 6,3 and E 6,3 and Wera series 1 and 4. Can also be used with 1/4" sockets by using the Wera socket adaptor 870/1. 1 Wera Ratchet Zyklop Mini 2, drop-forged full steel design, suitable for for Wera sockets 8790 FA. 9 Wera sockets 8790 FA, 1 socket adaptor 870/1, 14 bits, tough, for universal use

05056490001		
	8001 A	1 x 1/4"x87,0
	813	1 x 1/4"x78
	889/4/1 K	1 x 1/4"x50
	870/1	1 x 1/4"x25
	8790 HMA	1 x 5,5x23,0; 1 x 6,0x23,0; 1 x 7,0x23,0; 1 x 8,0x23,0; 1 x 10,0x23,0; 1 x 12,0x23,0; 1 x 13,0x23,0
	851/1 TZ PH	2 x PH 1x25; 3 x PH 2x25; 1 x PH 3x25
	855/1 TH PZ	1 x PZ 1x25; 3 x PZ 2x25; 1 x PZ 3x25
	867/1 TZ TORX®	1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; 1 x TX 25x25; 1 x TX 30x25; 1 x TX 40x25
	867/1 Z TORX® BO	1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; 1 x TX 25x25; 1 x TX 30x25
	840/1 Z Hex-Plus	1 x 3,0x25; 1 x 4,0x25; 1 x 5,0x25; 1 x 6,0x25; 1 x 8,0x25
	800/1 TZ	1 x 1,0x5,5x25

05135918001		
	8001 A	1 x 1/4"x87,0
	8005	1 x 107
	813	1 x 1/4"x78
	870/1	1 x 1/4"x25
	851/1 Z PH	1 x PH 1x25; 1 x PH 2x25
	855/1 Z PZ	1 x PZ 1x25; 1 x PZ 2x25
	867/1 TORX®	1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; 1 x TX 25x25; 1 x TX 30x25; 1 x TX 40x25
	840/1 Z Hex-Plus	1 x 3,0x25; 1 x 4,0x25; 1 x 5,0x25; 1 x 6,0x25
	8790 FA	1 x 4,0; 1 x 5,0; 1 x 5,5; 1 x 6,0; 1 x 7,0; 1 x 8,0; 1 x 10,0; 1 x 12,0; 1 x 13,0

1 ADET

Kraftform Plus – Series 300 The right tool for every application 1 set

Wera Star Magnetizer/Demagnetizer



Application: Simply run the tool down the positive side of the Wera magnetiser/demagnetiser and the tool immediately becomes magnetised and is able to hold the screw securely on the blade. To demagnetise the tool, simply run it down one of the four negative sides.

05073403001		
	Wera Star	1 x 48,0

Kraftform Big Pack 300



Application: Slotted, cross, Phillips-Recess, Pozidriv and TORX® screws

Content: 14-piece set in display carton

05105630001		
	350 PH	1 x PH 1x80; 1 x PH 2x100; 1 x PH 3x150
	355 PZ	1 x PZ 1x80; 1 x PZ 2x100; 1 x PZ 3x150
	367 TORX®	1 x TX 10x80; 1 x TX 15x80; 1 x TX 20x100; 1 x TX 25x100; 1 x TX 30x115
	334	1 x 1,2x6,5x150
	335	1 x 0,6x3,5x100; 1 x 0,8x4,0x100
	Rack	2 x 190,0x50,0

1 SET

8100 SA/SC 2 Zyklop Speed Ratchet Set, 1/4" drive and 1/2" drive, metric 1 SET

**8100 SA/SC 2 Zyklop Speed Ratchet Set,
1/4" drive and 1/2" drive, metric**



43 piece set, in strong metal case

1 Zyklop ratchet with 1/4" drive, 1 Zyklop ratchet with 1/2" drive, 21 Zyklop sockets (metric), 2 Zyklop "flexible-lock" extensions (long) with freewheel sleeve, 1 adaptor with quick-release chuck, 1 Kraftform bitholding screwdriver with Rapidaptor quick-release chuck, 16 bits

1440/1442 Screw gripper set



Application: Attachment with holding function for screws, holds all screw profiles and sizes securely on the tool, suitable for round and hexagon blades with a diameter from 4.5 mm to 6.0 mm and 6.0 mm to 8.5 mm

Design: Elastomer

05073680001		
1440	1 x 4,5 - 6,0x41,0	
1442	1 x 6,0-8,5x41,0	

05160785001		
8000 A	1 x 1/4"x152,0	
8790 HMA	1 x 4,0x23,0; 1 x 4,5x23,0; 1 x 5,0x23,0; 1 x 5,5x23,0; 1 x 6,0x23,0; 1 x 7,0x23,0; 1 x 8,0x23,0; 1 x 9,0x23,0; 1 x 10,0x23,0; 1 x 12,0x23,0; 1 x 13,0x23,0	
8784 A1	1 x 1/4"x1/4"x37,0	
8796 LA	1 x 1/4"x150,0	
8000 C	1 x 1/2"x277,0	
8790 HMC	1 x 13,0x37,0; 1 x 14,0x37,0; 1 x 15,0x37,0; 1 x 16,0x37,0; 1 x 17,0x37,0; 1 x 18,0x37,0; 1 x 19,0x37,0; 1 x 21,0x37,0; 1 x 22,0x37,0; 1 x 24,0x37,0	
8796 LC	1 x 1/2"x250,0	
816 R	1 x 1/4"x119	
800/4 Z	1 x 1,0x5,5x89	
840/4 Z	1 x 3,0x89; 1 x 4,0x89; 1 x 5,0x89; 1 x 6,0x89	
Hex-Plus		
851/4 Z PH	1 x PH 1x89; 1 x PH 2x89; 1 x PH 3x89	
855/4 Z PZ	1 x PZ 1x89; 1 x PZ 2x89; 1 x PZ 3x89	
867/4 Z TORX®	1 x TX 10x89; 1 x TX 15x89; 1 x TX 20x89;	
BO	1 x TX 25x89; 1 x TX 30x89	

1 ADET



7000 B

Art.No.																
05075394001	7000 B	3/8"	8-60	1	5-45	1,00	310	167	140	31	33	36	6 37/64"	5 33/64"	1 7/32"	1 19/64"

1 SET

Joker Set of Ratcheting combination wrenches



Set of ratcheting combination wrenches
11-piece set
Durable pouch

05020013001	Joker	1 x 8x144; 1 x 10x159; 1 x 11x165; 1 x 12x170,7; 1 x 13x177; 1 x 14x188; 1 x 15x200; 1 x 16x212; 1 x 17x224; 1 x 18x235; 1 x 19x246
-------------	-------	--

1 ADET

Series 7400 Kraffform pistol grip, pre-set adjustable torque screwdrivers (3.0-8.8 Nm) with Rapidaptor quick-release chuck



Application: Suitable for 1/4" DIN ISO 1173-C 6,3 and E 6,3 hexagon insert bits and Wera Series 1 and 4

Design: Rapidaptor rapid-in, rapid-out, rapid-spin, chuck-all and single-hand technology

Pre-set torque: 3.0 Nm, 4.0 Nm

Accuracy: ±6 % (DIN EN ISO 6789)

Handle: Kraffform pistol grip, multi-component

Art.No.	Nm	Nm	mm	mm
05074728001 ¹⁾	7463	1/4"	4,0	4,0-8,8
			150	100
			6"	4"

¹⁾ Other pre-set values within the adjustable range can be delivered on request

1 ADET

BİRER ADET TPAK VE C280



Fluke 289

Recommended Accessories



TPAK
See page 132

C280
See page 130